

# GC-12

## MULTI-PURPOSE POLYURETHANE FOAM & GUN CLEANER

**PRODUCT NAME**

GC-12 - Multi-purpose Polyurethane Foam & Gun Cleaner

**MANUFACTURER**

Everkem Diversified Products  
 120 Regent Drive, Winston Salem, NC 27103  
 PH: 1-800-638-3160 | FAX: (336) 661-7969

**PRODUCT DESCRIPTION**

GC-12 is designed to clean, protect, and extend the working life of foam guns, can valves, and dispensing equipment. GC-12 can be used as a cleaner to dissolve and clean away uncured polyurethane foams and adhesives. GC-12 can also be used to prepare surfaces to enhance adhesion.

APPLICATIONS

- Cleaning and maintaining the proper function of foam guns and can valves
- Cleaning uncured polyurethane foam and adhesives from surfaces and application devices
- Preparing surfaces for enhanced adhesion

ADVANTAGES

- Multi-functional for both manual and gun application
- Prevents sealing of can and gun valves between use

LIMITATIONS

- GC-12 will not dissolve cured polyurethane foam or adhesives. For use only on solvent or acetone resistant surfaces, as GC-12 may damage sensitive surfaces.

AVAILABLE COLORS

GC-12 is colorless

**TECHNICAL DATA**

**TYPICAL PHYSICAL PROPERTIES**

Chemistry:	Solvent mixture
Appearance:	Aerosol - clear, colorless liquid
Odor:	Solvent odor
pH:	7
Shelf Life:	18 months
V.O.C. Content:	0 g/L - Acetone and Carbon Dioxide are V.O.C. exempt compounds

**ECOSEAL STANDARDS**

- V.O.C. Content: 0 g/L - Acetone and Carbon Dioxide are V.O.C. exempt compounds

APPLICABLE STANDARDS & SPECIFICATIONS

**INSTALLATION**

PREPARATION

Shake the container to mix the contents before use, and periodically during use. Wear protective glasses or goggles, protective gloves, and clothing that protects against dermal exposure. Use in a well-ventilated area. Do not use in a horizontal position.

**General Cleaning Instructions:**

APPLICATION

1. Insert spray activator onto the valve stem of the can.
2. Apply using a steady, even pressure to completely bridge joints or fill holes.
3. With activator pointing towards surface to be cleaned, slowly depress activator and spray cleaner.
4. Allow cleaning agent to soak in for 1 to 2 minutes before wiping away with a damp cloth.

# GC-12

## MULTI-PURPOSE POLYURETHANE FOAM & GUN CLEANER

**INSTALLATION (CONT.)**  
APPLICATION (CONT.)

5. Store upright in a cool, dry area. Do not expose to temperatures exceeding 122°F (50°C).

**Foam Gun Cleaning Instructions:**

1. When changing cans, always clean the basket adapter and other external parts of dispensing unit thoroughly with GC-12 before attaching a fresh can of foam.
2. To ensure proper, long-term functionality of foam dispensing units, flush with GC-12 after every 10 to 12 cans of foams/adhesives.
3. Shake can well before attaching to foam dispensing gun.
4. Setting activator aside, remove protective cap and screw can firmly onto foam dispensing gun. Do **not** overtighten.
5. Point gun in a safe direction and carefully pull the trigger until cleaner extrudes from gun tip. Release trigger and allow cleaner to soak in for 1 to 2 minutes.
6. Pull trigger and dispense cleaner into suitable a container (can, box, etc). It may be necessary to repeat the procedure multiple times until only cleaner appears from barrel of dispensing unit. Refer to dispensing unit instructions for additional information.
7. Cured foam must be removed mechanically.
8. Store upright in a cool, dry area. Do not expose to temperatures exceeding 122°F (50°C).

CLEANUP

Fully clean or wipe away any remaining solvent or foam.

**AVAILABILITY**

GC-12 and other Everkem products are available from stocking distributors nationwide or direct from the manufacturer. For the name and telephone number of the nearest Everkem representative, call the number below or visit [www.everkemproducts.com](http://www.everkemproducts.com)

PACKAGING OPTIONS

PACKAGING OPTIONS			
Part #	Description	Packaging	Color
TY0799	GC-12 Multi-Purpose Foam and Gun Cleaner - 12oz Aerosol Can	12 cans/case	Clear

**MAINTENANCE**

Store upright in a cool, dry area. Do not expose to temperatures exceeding 122°F (50°C). Flush foam dispensing units with GC-12 after 10 to 12 cans of foams/adhesives.

**TECHNICAL SERVICES**

Everkem representatives are available to assist you in selecting the sealant or adhesive appropriate for your application. For further assistance contact your local Everkem Diversified Products representative, call our corporate office at 1-800-638-3160, or contact us via our website at [www.everkemproducts.com](http://www.everkemproducts.com)

# GC-12

## MULTI-PURPOSE POLYURETHANE FOAM & GUN CLEANER

**WARRANTY**

Everkem Diversified Products warrants this product's performance provided it is properly stored and applied within 18 months. If when applied as directed this material proves to be defective, return the remaining product and proof of purchase for refund or replacement of product exclusive of labor or cost of labor. This is the sole and exclusive remedy for defects of product failure. The determination of eligibility for this warranty shall be made at the sole discretion of Everkem Diversified Products and any decision made shall be final. This warranty is in lieu of any other warranties, expressed or implied, including but not limited to a warranty of merchantability or fitness for a particular purpose, and in no instance will Everkem Diversified Products be liable for damages in excess of the purchase price, except where such exclusion or limitation is prohibited by state law. Users must read and follow the directions of the current Technical Data Guide and SDS prior to product use. The user determines the suitability of the product intended for use and assumes all risks. Recommendations for the use of this product are based on tests we believe to be reliable. The manufacturer and seller are not responsible for results where the product is used under conditions not in strict accordance with our published recommendations and in applications considered suitable for this product. Everkem Diversified Products shall not be responsible for the use of this product in a manner to infringe upon any patent or any other intellectual property rights held by others.

**CAUTIONS**



**DANGER: EXTREMELY FLAMMABLE. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS. REPEATED EXPOSURE TO SKIN MAY CAUSE DRYNESS OR CRACKING.** Keep away from heat, sparks, open

flames, and/or hot surfaces. No smoking. Do not spray on open flames or other ignition sources. Do not puncture, incinerate, or store can above 122°F (50°C). Do not breathe mist, vapors, or spray. Avoid contact with eyes and skin. Wear protective gloves. Wear eye or face protection. Wear clothing that protects against dermal exposure. Wash hands thoroughly after handling. **IF ON SKIN:** Wash with soap and water. Remove contaminated clothing, washing before reuse. If skin irritation occurs: Get medical attention. **IF IN EYES:** Rinse cautiously with water. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. **IF INGESTED:** Wash mouth with water. Remove victim to fresh air. Give small quantities of water to drink. Do not induce vomiting. Store locked up. Dispose of contents in accordance with all local, regional, national, and international regulations. **KEEP OUT OF REACH FROM CHILDREN.**